



Interior & Exterior Door Systems

Table of Contents

Wyngate (WYN)	4
Stonebridge (STB)	5
Eastlake (EAS)	6
Aspen (APN)	7
Renfield (RFD)*	8
Jameson (JWL)*	9
Windsor (WSR)	10
Royal Fountain (FTN)	12
Fontana (FON)*	14
Majestic (TUL)	16
Heritage (HTG)	18
Dynasty (DYN)*	20
Princess (GFD)	22
Laurel (LRL)*	24
Arlington (ARL)	26
Signature (SGN)	27
Imperial (IMP)	28
Aurora (AUR)*	29
Regency (REG)	30
Simulated Divided Light (SDL)	31
Patina Reflections (RGC)	32
Vintage Craftsman (CFT)*	33
Stratford (STA)*	34
Elan (ELN)*	35
Raise & Lower Internal Blinds (RLB)	36
Harmony Blinds (RLB)	37
Raise and Lower Shades (RLS)	38
Ventlights (VL)	39
Grills Between Glass	40
Clear Glass Products	41
Panel Steel Doors	43
Fiberglass Exterior Doors	44
Wood Interior Doors	45
Door Styles	46
Warranty & Finishing	47
Warranties	48
Notes	50

*Stock Items



MISSION STATEMENT

At Centurion Door Systems, we strive to bring you the best in both quality and service.

We start from the bottom and work our way up. Our exterior systems start with an aluminum and composite sill; nothing to rot or fall apart. The sills are a high performance DP tested system with a maximum design pressure rating of +/- 55 degrees; holding its own against the elements, and creating the protection you the homeowner expects. For the frame, we use an insect and moisture resistant cedar, instead of pine. Cedar is naturally more resistant to moisture and bugs. Finally, the primer that is used makes it one of the best wood frames available to exterior door systems.

The slabs used are 24 gauge steel, before primer or paint is applied. They also utilize an LVL stile with a 12" lock block to help maintain stability. A closed cell structure EPS core helps maintain R-Value and will not hold moisture. Fiberglass is an energy efficient stainable/paintable product. If you are looking for a wood door but don't want the maintenance or price; fiberglass is the choice for you.

The glass used in the Centurion exterior systems, "Solar Shield" has a superior weatherability to take the heat and sunlight; durable resin resists yellowing from UV exposure; and experience reduced thermal expansion and contraction. "Solar Shield" frames are the only product approved for use behind a vented storm door. We have nine (9) decorative stock glasses available. Plus; there are twenty-one (21) non stock decorative glasses and countless numbers of clear glass also available. There is something available for everyone.



Wynngate

Wynngate's elegant wrought iron scrollwork makes a distinctive architectural statement. Micro-granite glass on the interior side of the door provides a high level of obscurity.

privacy rating 9




clear

obscure



Door WYN 2248
 Sidelight WYN 0848
 Transom WYN Rectangle



Door WYN 2264/2064
 Sidelight WYN 0764
 Transom WYN Ellipse



Stonebridge



The Stonebridge is a unique Wrought Iron design with sculptured glass on the interior side of the door for privacy.

privacy rating 8



clear

obscure



DoorSTB 2264
SidelightSTB 0764
TransomSTB Ellipse

DoorSTB 2248
SidelightSTB 0848
TransomSTB Half Round



Aspen

Aspen's classic shapes reinterpreted to reflect a modern spirit. Platinum coming highlights the double granite border and reeded background



privacy rating 8



clear

obscure



Door APN-PL 919



Door APN-PL 2210 AT



Door APN-PL 2248
Sidelight APN-PL 0848
Transom APN-PL Rectangle





Door APN-PL 2264
Sidelight APN-PL 0764



Renfield

Delicate scrolls and brilliant bevels combine in an inspired wrought iron look. Renfield features samll-hammered and granite glass with patina coming.

privacy rating 7



Door . . . RFD-P 0842CT
Fiberglass Only



Door . . . RFD-P 2264



Door RFD-P 2236
Sidelight RFD-P 0836



Door RFD-P 949
Sidelight RFD-P 0764
Transom RFD-P Ellipse




Jameston



Jameston epitomizes traditional style with its elegant and handsome design. Granite and glue chip glass provide textural contrast and they are accented by a rich patina came finish.

privacy rating 7



Door JWL-P 2264

Sidelight JWL-P 0764



Door JWL-P 2236

Sidelight JWL-P 0836



Door JWL-P 2248

Sidelight JWL-P 0848



Door . . . JWL-P 949



Windsor

Windsor's shimmering polished bevels sparkle in a clear and gray soft wave glass background accented with brass or patina caming.

privacy rating 5



clear


obscure



Door . . . WSR-P/B-0842
Fiberglass Only



Door . WSR-B/P 2210 AT



Door. . . . WSR-B/P 949



DoorWSR-B/P 2236
 SidelightWSR-B/P 0836



DoorWSR-B/P 2248
 SidelightWSR-B/P 0848
 TransomWSR-B Ellipse




DoorWSR-B/P 2264
 SidelightWSR-B/P 0764
 TransomWSR-B/P Rectangle

Royal Fountain

Royal Fountain's prismatic fountain of bevels, beautifully accented by gray and clear renaissance glass, creates your Royal entrance.

privacy rating 6



DoorFTN-B/SN 2236
 SidelightFTN-B/SN 0836
 TransomFTN-B/SN Ellipse

Door FTN-SN 2248
 Sidelight FTN-SN 0848
 Transom FTN-SN/B Rectangle



DoorFTN-SN 949



DoorFTN-B/SN 0842 CT
Fiberglass Only



Door FTN-B/SN 2264
Sidelight FTN-B/SN 0764
Transom FTN-B/SN Half Round



Door FTN-SN 919

Fontana

Fontana's unique keystone bevel, crowns the clear bevel border and the center bevel cluster. Satin Nickel or Patina coming highlights the gray and clear renaissance background.

privacy rating 5



clear

obscure



Door FON-P/SN 2264
 Sidelight FON-P/SN 0764
 Transom FON-P/SN Rectangle



Door FON-P/SN 2210 AT
 Sidelight FON-P/SN 0836
 Transom FON-P/SN Ellipse





DoorFON-P/SN 2236



DoorFON-P/SN 2248
SidelightFON-P/SN 0848



DoorFON-P/SN 0842 CT
Fiberglass Only



DoorFON-P/SN 949

Majestic

Majestic's spectacular entrance is grand and stately. With multiple glass and transom options from which to choose, Majestic will set new standards.

privacy rating 5



DoorTUL-PL 919
 SidelightTUL-PL 0764
 TransomTUL-PL Ellipse




Door TUL-PL 2248
 Sidelight TUL-PL 0848
 Transom TUL-PL Rectangle





DoorTUL-PL 591



DoorTUL-PL 949



DoorTUL-PL 2264/2064

SidelightTUL-PL 0764

TransomTUL-PL Half Round



Heritage

Heritage's clear renaissance and soft wave glass creates an inviting design for both the interior and exterior of your home.

privacy rating 5



clear

obscure



Door HTG-PL 919
 Sidelight HTG-PL 0764
 Transom HTG-PL Rectangle



DoorHTG-PL 2236
 SidelightHTG-PL 0836





DoorHTG-PL 2264



DoorHTG-PL 2236 CT




DoorHTG-PL 591



Dynasty

Dynasty is surrounded by a glue chip background and clear bevel border, accented by brass, platinum or patina coming.

privacy rating 7



Door DYN-B/P/PL 2264
Sidelight DYN-B/P/PL 0764



Door DYN-B/P/PL 949
Sidelight DYN-B/P/PL 0848





DoorDYN-B/P/PL 591



DoorDYN-B/P/PL 0718
Steel Only



DoorDYN-B/P/PL 919



Door DYN-B/P/PL 2236
Sidelight DYN-B/P/PL 0836



Door DYN-B/P/PL 2236 CT

Princess

Princess creates a warm welcoming feeling to your home. Translucent glue chip surrounds a clear beveled cluster with a soft wave glass inner border.

privacy rating 7



clear

obscure



Door GFD-B/PL 2264
 Sidelight GFD-B/PL 0764
 Transom GFD-B Rectangle



Door GFD-B/PL 2236
 Sidelight GFD-B/PL 0836





Door GFD-B/PL 591




Door GFD-B/PL 0718
Steel Only



Door GFD-B/PL 919



Door GFD-B/PL 2248
Sidelight GFD-B/PL 0848



Door GFD-B/PL 949

Laurel

Laurel's rich beauty of granite and glue chip glass creates an inviting design for both the interior and exterior of your home.

privacy rating 7



clear

obscure




Door LRL-B/PL 2236
 Sidelight LRL-B/PL 0836
 Transom LRL-B/PL Ellipse

Door LRL-B/PL 949
 Sidelight LRL-B/PL 0764
 Transom LRL-B/PL Half Round




Door LRL-B/PL 591



Door LRL-B/PL 2238 AT



Door LRL-B/PL 2264
Sidelight LRL-B/PL 0764
Transom LRL-B/PL Rectangle



Arlington


Arlington offers a delicate granite glass design with a translucent glow. The clear soft wave glass background is surrounded by clear bevels and a gray soft wave border.

privacy rating 6



clear

obscure



Door . . . ARL-PL 2236



Door . . . ARL-PL 919



Door ARL-PL 2248

Sidelight ARL-PL 0848



Door ARL-PL 949

Sidelight ARL-PL 0836



Door ARL-PL 2264

Sidelight ARL-PL 0764



Door ARL-PL 591



Signature

Signature extends a warm welcome to your home. The center bevels are placed in a background of clear soft wave glass with a gray soft wave border.

privacy rating 6



clear

obscure



Door SGN-PL 2248
Sidelight SGN-PL 0848



Door SGN-PL 919
Sidelight SGN-PL 0764



Door SGN-PL 0718
Steel Only



Door SGN-PL 949



Door SGN-PL 2264



Door SGN-PL 2236
Sidelight SGN-PL 0836



Imperial

Imperial features glue chip glass and clear hand-cut beveled glass in a sweeping design sure to be a classic accent for any style home.

privacy rating 7



clear

obscure




Door IMP-B/PL 2264
 Sidelight IMP-B/PL 0764
 Transom IMP-B/PL Rectangle



Door IMP-B/PL 2236
 Sidelight IMP-B/PL 0836



Door IMP-B/PL 919



Door IMP-B/PL 949



Door IMP-B/PL 591



Door IMP-B 0718
 Steel Only



Aurora

The Aurora is an elegant weave of granite glass and bevels accented by an inner border of gray soft wave glass.



privacy rating 6



clear

obscure

Door AUR-PL 2236
Sidelight AUR-PL 0836
Transom AUR-PL Rectangle

Door AUR-PL 2264
Sidelight AUR-PL 0764
Transom AUR-PL Ellipse



Door AUR-PL 919

Door AUR-PL 949

Door AUR-PL 2210 AT


Door AUR-PL 2248
Sidelight AUR-PL 0848




Regency

The Regency's elegant clear glass bevels are highlighted with granite glass surrounded by a gray soft wave glass border.

privacy rating 6



DoorREG-PL/P 2236
SidelightREG-PL/P 0836



DoorREG-P 2248
SidelightREG-P 0848



DoorREG-PL/P 2264
SidelightREG-PL/P 0764
TransomREG-PL/P Rectangle



Simulated Divided Light



The traditional look of true divided lights while maximizing energy efficiency.

privacy rating 1



clear

obscure


- The look of a true divided light
- Energy efficiency of a one light
 - Internal Space
- Backing strips for true wood muntin appearance
 - Available in white and stainable tan frames



DoorSDL 2248
SidelightSDL 0848



DoorSDL 2264
SidelightSDL 0764



Cross bar

Vintage Craftsman




DoorCFT-P 2264
SidelightCFT-P 0764



DoorCFT-P 2210 AT

The Vintage Craftsman design is reminiscent of the original Craftsman style with modern appeal. Featuring the obscure glass textures of Eaton and double granite with a border of Cotswald glass.

privacy rating 6



DoorCFT-P 2248
SidelightCFT-P 0848
TransomCFT-P Rectangle




DoorCFT-P 2236
SidelightCFT-P 0836



Stratford

The soft sheen of platinum or the warm luster of hand-rubbed antique brass coming enhance old-world glass textures and exquisite bevels for a gracious entrance.


privacy rating 7



Door STA-AB/PL 949



Door STA-AB/PL 2248
Sidelight STA-AB/PL 0848
Transom STA-AB/PL Rectangle




Door STA-AB/PL 2264
Sidelight STA-AB/PL 0764
Transom STA-AB/PL Ellipse



Door STA-AB/PL 2264
Sidelight STA-AB/PL 0764
Transom STA-AB/PL Half Round





Elan exemplifies distinctive style and sophisticated flair. Deeply beveled panels are accented by artful medallions and beautiful textured glass. Extra wide black chrome coming adds brilliance.

privacy rating 2



clear

obscure



Door . . . ELN-BC 2210 AT



Door ELN-BC 2248
Sidelight ELN-BC 0848



Door ELN-BC 2264
Sidelight ELN-BC 0764
Transom EAS-BC Rectangle



Raise & Lower Internal Blinds

- Quality Tilt Raise and Lower Operations
- For Privacy and Security
- No More Dusting or Damaged Blinds
- Great for Patio Applications
- Available in White



Control light and privacy with easy fingertip adjustment.



Fully raise and lower blind for an open view or privacy.



- Sealed between two panes of tempered glass
- Aluminum Construction



RLB 0836 1L*



IGB 0764 1L*
Tilt Only



RLB 0836-2*



RLB 2064 1L
RLB 2264 1L*



RLB 2036 1L
RLB 2236 1L*



RLB 2248 1L


*Stock Item

Harmony Blinds

- Grilles & Blinds Between the Glass
- Contoured Internal Grilles
- A Single slide Operator Raises, Lowers and Tilts the Blind
- When Fully Raised, Blinds are Completely Hidden from View
- No More Dusting, easy to Clean
- Available with Grilles in Low-E Glass




2236 9L
CGBG BLD*



Detail



RLB 2264 15BLD*



Easy Operation:
The blind moves 2" for every 1" you move the operator.

Raise & Lower Shades

- *Lift from the Bottom, Lower from the Top, or Both*
- *Soft, White Fabric Shade*
- *No Dusting, No Cleaning, and No Swinging shades*
- *Increased Energy Efficiency*
- *10 Year Warranty*



LightTouch® Controls raise and lower internal shade.



Shade is sealed between tempered safety glass for longer life and better insulation.



Easily control light level and privacy.



RLS 2264



RLS 2236

Ventlights

The best in performance and energy efficiency, all in an attractive design.

Performance

- 3/4" Insulated Tempered Glass for a U-Valve of .50
- Performance Rating to Tough Canadian Standards:
 - A3 (Air Tightness)
 - B4 (Water Tightness)
 - C3 (Windload Resistance)
- Backed by a 20-Year Warranty

Solar Shield Frame

- UV Resistant
- Never Needs Painting
- Resistant to Yellowing & Cracking
- Patented Screw Hold Covers for a Smooth Interior
- Screen Included




Ergonomic Latches - Our latches are designed for easy operation and adjust to 10 different positions.



2236 VL*
Clear Glass
Also in Low-E



2236 12L
Clear GBG Muntin
Also in Low-E



2236 VL
Rain Glass



2236 VL
Rain Glass

Grills Between Glass

Contour Bar • Also Available in Low-E Glass

WHITE*

11/16"
x
5/16"

CLAY

11/16"
x
5/16"



590 5L SLIM*



2236 9L CGBG*



0836 3L CGBG*



2248 12L
CGBG*



0848 4L CGBG*



2264 15 L
CGBG*



0764 5L CGBG*



2264 10L
CGBG



1464 10L
CGBG

Prairie GBG

Contour Bar • Also Available in Low-E Glass

WHITE*

11/16"
x
5/16"

CLAY

11/16"
x
5/16"



0836 6L PIM*



22236 9L PIM*



2248 9L PIM*



0848 6L PIM*



2264 9L PIM*



0764 6L PIM*

Clear Glass Products

In addition to our lines of hand-crafted, decorative doorlights and sidelights, we also provide a full selection of clear glass products. RN indicates available in obscure Rain Glass. *Also available in Low-E glass. **1-1/4" Bar thickness.



0718 1L*
Steel Only



1010 1L
1616 1L



0806 1L*



Clear Rectangle Transom
36", 63 1/2", 64 1/2" and 68 1/2"



Clear Rectangle GBG Transom
36", 63 1/2", 64 1/2" and 68 1/2"



Clear Ellipse Transom
36", 63 1/2", 64 1/2" and 68 1/2"



0836 3L*
0836 3L RN



2236 1L*
2236 1L RN



2236 9L*
2236 9L RN





2236 11L CT*
2236 11L CT RN



919 1L



949 1L



Performance glass option available in clear and grilles between glass product offering.

Low-E is a high performance glass made with an invisible thin metallic coating that blocks heat flow. A proven energy saver, Low-E glass reduces air conditioning costs by reducing solar transmissions in the summer. In winter, it reduces heat loss to the outside and allows solar energy to pass inside. Low-E glass is available in Flat Bar GBG, Contour Bar GBG and Clear Glass.



0848 1L*



2248 1L*



2248 12L*



1464 1L
1464 1L RN



1464 10L



590 5L*
590 5L RN



0836 1L*
0836 1L RN



2210 AT*



2264 1L*
2264 1L RN



2264 10L



2264 15L*
2264 15L RN



2264 9L*



0764 1L*
0764 1L RN



0764 5L*
0764 5L RN



0764 6L*

Panel Steel Doors

Galvanized Primed Steel Skin


- Resists harsh environmental conditions
- Energy efficient and low maintenance
- Can be easily painted
- A quality product at a reasonable price

LVL Stiles and Top Rail


- Warp-proof laminated beam structure
- * 12: wood lock-block
- Mitered top corners cover end-grain

EPS Core

- Stable laid-in/glued-in polystyrene
- Maintains R-value perpetually
- Closed cell structure...will not hold moisture



3 Panel



Flush



4 Panel



6 Panel



9 Panel



True
4 Panel



2 Panel Arch



2 Panel Arch
w/Plank



2 Panel Square



Legacy Door

Fiberglass Exterior Doors

Advantages of Fiberglass Entry Doors

- Will not rot decay
- Scratch resistant
- Dent resistant
- Energy efficient
- Beautiful curb appeal
- High acoustic properties
- Low maintenance
- Looks and feels like real wood
- Paintable and stainable
- Fade resistant

Wood grain texture looks and feels like real wood

Smooth Surface

Insulated polyurethane foam core

Richly embossed panels

Southwester decor

Not rot rail



Flush



3 Panel



4 Panel



6 Panel
Wood Grain



6 Panel
Smooth



Classic
6 Panel

Wood Interior Doors



6 Panel
Oak



3 Panel
Shaker Maple



3 Panel Shaker
Oak

Interior Door Options

- Custom matching for slabs or frame
- Custom sizing
- Double door options
- Ball catch's or astragal
- Fire ratings
- Commercial door options
- Custom jamb sizes



Birch



Oak

Warranty & Finishing

Centurion Series® Interior Doors Warranty and Finishing

Warranty Conditions

Centurion Doors (CD) interior doors are warranted for as long as the original homeowner resides in the home into which the doors are installed. CD warrants that each door it sells will comply with industry standards in effect at the date of manufacture. CD's liability shall be limited to repair or replacement, at its option, of any door that is found to be defective in materials or workmanship, as follows:

1. **Warpage:** Warp shall not be considered a defect unless it exceeds $\frac{1}{8}$ " on door 6' 8" or under, or if it exceeds $\frac{3}{8}$ " on door over 6' 8". Warp is any distortion in the door itself and shall include bow, cup and twist. Measurement of the amount of warp in a door will be determined by placing a straight edge on the suspected concave face of the door top and bottom or diagonally corner to corner with the door in an installed position. The measurement shall be made at the point of maximum distance between the bottom of the straight edge and the face door. The warranty excludes all doors that are thicker than $1\frac{3}{8}$ " or wider than 36" or taller than 8' 0" or for $1\frac{3}{8}$ " doors used as exteriors.
2. **Veneers:** No bubbling or open splits or check are allowed. Veneer seams will be closed and not overlapping.
3. **Delamination of veneer.**
4. **Separation of component joints in excess of $\frac{1}{16}$ "**

Limitations and Exclusions

Inspect your door carefully before doing any cutting, finishing; etc. The warranty will be void if a door has not been properly installed or finished. Defects caused by failure to seal all six sides of the door void this warranty. The warranty does not cover the finishing of the door or any defect caused thereby. The finish of the door must be maintained to continue warranty status. Finishes that have not been maintained and that exhibit a rough or faded finish resulting in discoloration or other service problems will also void the warranty. Panel shrinkage is not considered a defect covered by this warranty.

Trimming the door stiles more than $\frac{3}{8}$ ", top rail $\frac{3}{4}$ " and the bottom rail more than 1" will void this warranty. Natural variations in color and/or texture of the wood are not considered defects under this warranty. This warranty covers door only. Hardware and refinishing are not covered by this warranty. This warranty is not assignable, nor transferable.

Procedure

To report a problem with your door(s) that you feel is covered by this warranty, contact the lumber dealer or distributor from whom you purchased the door.

THE LIMITED WARRANTY DESCRIBED HEREIN SHALL BE THE ONLY WARRANTY OF CENTURION DOORS NO IMPLIED WARRANTY OF MERCHANTABILITY OR OTHER WARRANTIES ARE GIVEN WHICH EXTEND BEYOND THE DESCRIPTION ON THE FACE HEREOF.

Stop! Read Before Finishing

REQUIREMENTS AND SUGGESTIONS SET BY ALL HARDWOOD PANEL DOOR MANUFACTURERS (DOMESTIC AND IMPORTED) AND THE DOOR AND HARDWARE INSTITUTE.

If the following instructions are not followed the warranty will be affected. How you store, handle and prepare this door for finishing will affect the appearance.

- Do not expose door to excessive moist or dry conditions.
- When bringing the door in from very hot or cold conditions it is important to let it acclimate (warm up or cool down) before starting to finish the door.
- Cutting or altering the door will void the warranty.

Sanding requirements and suggestions:

- The door must be thoroughly sanded (not just spot sanded) with approx. 120 grit sandpaper. (Spot sanded areas will appear differently after stain is applied).

- Replace sandpaper often to ensure consistent sanding.
- Special care should be taken to prevent cross sanding.
- After sanding be sure surface is blown off thoroughly with air gun to remove sanded particles from open grain.

EXTRA care should be taken if door is to be stained a dark color because dark stains show more imperfections. Applying a wood conditioner, after properly sanding, but before staining the door will help the door to have a more uniform final appearance.

traditionally wood filler does not show after staining although glue spots will. properly and thorough sanding prior to staining will usually eliminate most surface glue spots. Although bleed through glue will probably not be eliminated with sanding and these door may have to be replaced.

ALL 6 SIDES OF THE DOOR MUST BE SEALED TO PREVENT MOISTURE ABSORPTION WHICH MAY CAUSE THE DOOR TO WARP.

TRADITIONALLY DOOR MANUFACTURER WARRANTIES ONLY COVER GLUE SPOTS, DELAMINATION, VENEER SPLITS, ETC. "BLOTCHY-NESS" (LIGHT AND DARK AREAS) USUALLY HAVE MORE TO DO WITH THE FINISHING PROCESS THAN THE MANUFACTURING PROCESS OF THE DOOR.

DON NOT CONTINUE TO FINISH DOORS IF THE APPEARANCE OF THE FIRST DOOR DOES NOT MEET YOUR EXPECTATIONS. NOTIFY YOUR DEALER IMMEDIATELY.

NOTE: MAPLE DOORS ARE NOT SUITABLE FOR STAINING AND SHOULD BE CLEAR COATED ONLY.

Centurion Exterior Door Warranty and Finishing

Limited Lifetime Warranty

Centurion has a limited lifetime warranty within the first 5 years of ownership. Complete door systems are warranted against any defects in materials or workmanship. Warranty includes all parts, not labor and/or refinishing of replacement product.

Neither the door system nor its components are warranted against damages which do not arise from defects in materials or workmanship; nor from damages or faulty operation resulting from improper installation, or failure to properly maintain the door system or its components.

Note: During the next 20 years of ownership there is a depreciation of 50% as of five years plus one day from the date of purchase. Depreciation continues at a rate of 2.5 annually (computed daily).

Here at CENTURION DOORS our procedure is very similar to the shown above, we'll briefly explain the steps we take when finishing a stained door.

FINISHING

All the surfaces of the Centurion slabs are stainable and/or paintable, steel are paintable only. No sanding is required; ready to finish.

Staining: use a high quality gel or oil based stain available at all paint stores.

Painting: use a high quality oil base exterior paint available at all paint stores.

Preparation: remove door slab from the door frame; remove all dirt, debris and contaminants by wiping slab with mineral spirits and allowing mineral spirits to totally evaporate before applying paint or stain.

APPLICATION:

- Staining:** Apply stain evenly, using a lint free cloth or brush in the direction of the wood grain, making sure to work the stain into the surface.
- While staining, be sure to wipe off excess stain with a dry, lint free cloth prior to the stain drying completely.
- For a darker finish – apply additional coats of stain after the previous coat has dried.
- Allow stain to dry for a minimum of 24 hours before applying multiple coats of high quality exterior grade low gloss polyurethane in the direction of the wood grain; follow the manufacturer’s recommended instructions on the container label.
- Painting:** Work paint into the surface when applying.
- Slabs should be given a minimum of two coats of paints.

It is suggested to only paint smooth surface doors and only stain wood grain surface doors.

All doors are to be finished within 3 months of purchase and installation.

All coatings are to be of an ultra violet protecting nature to protect your door.

Re-apply a UV protecting top coat every 3 years; severe exposure may result in more frequent maintenance.

Western Reflection

All glazed lights are shipped with tempered glass that complies with the U.S. CPSC standard 16 CFR 1201 c1 and c2, also ANSI 2-97.1. It is the customer’s responsibility to insure that any “open” frames purchased are properly glazed with materials that comply with the above noted standards. Solar Shield frames are the only products approved for the uses behind a storm door. Plastic plants are not designed for and should not be used in conjunction with a storm door, and dark colors will cause thermal deformation which when occurs is not covered by product warranty. Decorative glass is designed to replicate “old world” manufacturing techniques and charm. Bubbles (seeds), wavy lines, color variations, and slight surface imperfections are all characteristic of decorative glass and are not considered defects.


Cancellation

Cancelled orders are subject to a reasonable cancellation charge, however, orders for special or custom products are subject to cancellation charges to cover Marling’s cost on time and materials not to exceed the full sale price.

Door Styles


Entryway Configurations

Doors with Western Reflections' door glass are available with coordinating sidelights and transoms.



Decorative Glass Shapes and Sizes

Our door glass is available in many shapes and sizes to fit your home.



Rough Opening Widths


	Single Unit	One 12" Sidelight	Two 12" Sidelight	One 14" Sidelight	Two 14" Sidelight
2'8"	34-1/2"	48"	61-1/2"	50"	65-1/2"
3'0"	38-1/2"	52"	65-1/2"	54"	69-1/2"

Entry Systems

Frame and brick opening dimensions. Wood frame units with standard casing. Add to/subtract from rough opening dimensions:


	Height	Width
Brick Opening:	+3/4"	+1-1/2"
Frame Size:	-1/2"	-1"
Rough Opening Height:	6-8 82" • 7-0 86" • 8-0 98"	

Call dealer for rough opening on transoms.



Hinging

Units are called hinging when pulling door open toward you.



OR Butt to Butt Left Hand Butt to Butt Right Hand Butt to Butt Right Hand Butt to Butt Left Hand

Exterior Door Options

Cladding Colors




**Not available on flat casing and backband.

Profiles and Options

- Jamb sizes up to 8"
- Garage frames to match
- Spread mulls on sidelite units
- Custom Sizes
- Custom matching for slabs or frames
- Single bore or double bores
- 2 3/4" or 2 3/8" backset
- Mortise edge or drive in
- Peep site prep
- Outswing and inswing
- ADA/wheel chair sills
- Doggie door cut outs
- Match your casing in your glass with matching sills and hinges



Sill Colors



Hinge Colors



Note: Actual colors may vary due to printing.

